

Noctuidae: Group 2: Subfamilies mostly with hairy larvae

Acronictinae: Acronictini



Acronicta afflicta



Acronicta albarufa



Acronicta americana



Acronicta clarescens



Acronicta connecta




Acronicta cyanescens



Acronicta dactylina



Acronicta falcula




Acronicta fragilis



Acronicta fragilis



Acronicta funeralis



Acronicta furcifera



Acronicta grisea



Acronicta haesitata




Acronicta hamamelis



Acronicta hasta




Acronicta impleta




Acronicta impressa



Acronicta increta



Acronicta innotata



Acronicta interrupta



Acronicta laetifica



Acronicta lanceolaria



Acronicta lepusculina



Acronicta lithospila



Acrionicta lobeliae



Acrionicta longa



Acrionicta longa



Acrionicta mansueta



Acrionicta marmorata



Acrionicta modica



Acrionicta morula



Acrionicta noctivaga




Acrionicta oblinita



Acrionicta ovata



Acrionicta perdita



Acrionicta quadrata



Acrionicta radcliffei



Acrionicta retardata



Acrionicta rubricoma



Acrionicta sperata



Acrionicta spinigera



Acrionicta strigulata



Acrionicta superans



Acrionicta tristis



Acrionicta tritona



Acrionicta vinnula



Acrionicta vulpina



Agriopodes fallax



Agriopodes geminata



Harrisimemna trisignata



Merolonche lupini



Polygrammate hebraicum



Simyra insularis

Bryophilinae: Bryophilini



Cryphia cuerva



Cryphia cuerva



Cryphia olivacea



Cryphia olivacea

Noctuidae: Pantheinae



Charadra deridens



Colocasia flavicornis



Colocasia propinquilinea



Panthea acronyctoides



Panthea gigantea



Panthea pallescens

Noctuidae: Raphiinae:



Raphia coloradensis



Raphia frater